

IC 2  
NIC 0  
AWA 1  
RDS 8

INNOVATIVE  
ARCHITECTURE

best of best

Creative ceilings  
for creative minds

OWAconsult collection

**OWA**



# Creative ceilings for creative minds

## OWAconsult collection

BY HADI TEHERANI

More freedom, openness and creativity in ceiling design. With the ceiling canopies in the OWAconsult collection, we have produced a creative modular system that opens up brand-new opportunities for tailored ceiling creations. It allows unprecedented design freedom, using unique arrangements to bring individual surfaces to life. The range includes the latest LED technology for lighting modules, showing off our ceilings in a brand new light and enhancing the modular systems. Together with renowned designer Hadi Teherani, we have created ceiling concepts that shape our industry and set new standards. To ensure a trouble free installation, you can also call upon the help of our OWAconsult specialists who are there to provide assistance every step of the way through your project, from design to completion, from concept to reality.





## Out in the open

### Square

Baffle illusion - as its name suggests, the canopy is square. However, from below, the different baffle heights and lengths within the assembly form an additional visible Trapezium shape. If several of these special ceiling canopies are arranged together, even more shapes and patterns are created as their number increases. Square optimises room acoustics where closed, suspended ceilings cannot be installed, e.g. In existing buildings or under ceilings with integrated functional systems. Complimented by the Square LED lighting package, Square also looks outstanding at night.

## Square



### 1 Square – baffle tile package

 All edges 3

Length	Height	Thickness	Units	Part no.	Del. Cat.
1200 mm	150 mm	30 mm	7		
830 mm	200 mm	30 mm	1		
780 mm	200 mm	30 mm	1		
730 mm	200 mm	30 mm	1	00069106	X
675 mm	200 mm	30 mm	1		
620 mm	200 mm	30 mm	1		
570 mm	200 mm	30 mm	1		

Package content: 7 pieces. length: 1200 mm. 1 piece each of the shorter length; total number of baffles per package: 13 pieces. Sinfonia tile surface, Absorption values see brochure 1964.

### 2 Square LED – light package Square – optional

Length	Width	Height	Rating	Performance	Light colour	Ballast unit	Part no.	Units	Del. Cat.
1160 mm	26 mm	24 mm	IP 20	12 W/m	4000 K	LED drivers	00080983	1	X
1160 mm	26 mm	24 mm	IP 20	14.4 W/m	RGB*	LED drivers	00080984	1	X
Power supply for LED light package neutral white (4000 K) + RGB (1 transformer for each light package)							00081767	1	X
RGB control unit (MASTER) incl. remote control							00077303	1	X
RGB repeater (SLAVE) (only with parallel connection)							00077301	1	X
Additional RGB remote control (optional)							00080982	1	X

Package contains: 2 LED profiles. incl. the necessary cabling. 4 fastening clips.

\* To connect the RGB light packages in parallel. one RGB control unit (MASTER) is required for the 1st light package and the remaining light packages are connected in parallel using an RGB repeater (SLAVE) for each additional light. [See brochure 9630 e Integrated lighting.](#)

The LED profiles (2) are fastened to the square profiles of the Square design package (3) using the included fastening clips. Pass the ready-made cable through the square profile and connect it to the transformer. The transformer is placed on the body of the Square's hangar structure (3). Ask your electrical contractor to connect the Square to the power supply.

Limited availability depending on region. For further information, please contact our Customer Service Team: tel: +49 9373 201-0 | [info@owa.de](mailto:info@owa.de)

### 3 Square – construction package

Product/component description	Units	Part no.	Del. Cat.
Square profile 25 x 25 x 2.0 mm. length: approx. 1220 mm. colour: white. fully assembled with connector bar	2 pieces		
Connector bar 305 x 200 x 1.0 mm. white	1 piece		
Spacer sleeve M6 x 25 mm. white. for direct installation	4 pieces	00079587	C
Fixing plug. Ø 11.6 mm. white. for square profile keyholes	26 pieces		
Threaded sleeve M6 x 30 mm. for suspended installation	4 pieces		
M6 x 15 mm. zinc galvanized. for suspended installation	4 pieces		

See brochure 1964 e Canopies.