

IC 2
NIC 0
AWA 1
RDS 8

INNOVATIVE
ARCHITECTURE

best of best

Creative ceilings
for creative minds

OWAconsult collection

OWA

I C O 2
N I C 0
A W A 1
R D S 8INNOVATIVE
ARCHITECTURE


best of best

New dimensions to creativity

FreeStyle canopies

FreeStyle allows for creative freedom and individual expression. The possible combinations are almost limitless, regardless of whether the baffles are arranged horizontally or vertically. Thanks to the height-adjustable wire hanging, the FreeStyle baffles float 'freely' within the space. Thus making the ceiling area and whole room look large and impressive.

FreeStyle canopies



FreeStyle baffles fleece covered

All edges **3**

	Length	Height	Thickness	Part no.	Colour fabric	Units	Del. Cat.
FreeStyle S	1200 mm	200 mm	40 mm	00076308	white	6	X
				00093124	grey		X
				00093123	black		X
FreeStyle M	1200 mm	400 mm	40 mm	00076639	white	3	X
				00093126	grey		X
				00093125	black		X
FreeStyle L	1200 mm	600 mm	40 mm	00076796	white	2	X
				00093128	grey		X
				00093127	black		X


For the fleece-laminated FreeStyle baffles S M and L one free pair of gloves is included in the box. | Mounting kit see page 40/41 | Order one mounting kit per baffle. | Absorption values see brochure 1964 e Canopies.

FreeStyle baffles coloured fabric


All edges **3**

	Length	Height	Thickness	Part no.	Colour fabric	Units	Del. Cat.
FreeStyle S	1200 mm	200 mm	40 mm	on request	as per fabric sample page 44 and 45	6	X
FreeStyle M	1200 mm	400 mm	40 mm	on request		3	X
FreeStyle L	1200 mm	600 mm	40 mm	on request		2	X


Mounting kit see page 40/41 | Order one mounting kit per baffle. | Absorption values see brochure 1964 e Canopies.



FreeStyle S



FreeStyle M



FreeStyle L

I C O 2
N I C 0
A W A 1
R D S 8


INNOVATIVE
ARCHITECTURE

Custom baffles for your space

FreeStyle flex baffles

Design your room according to your wishes with our custom baffles! Our flexible manufacturing processes enable you to specify bespoke shapes and dimensions while perfectly controlling the lighting conditions. Bring your ideas to life and create a unique environment that is both visually appealing and practical.

FreeStyle flex Lamellen



Design proposals | The dashed line shows the maximum possible size (2400 x 600 mm).

FreeStyle flex fleece covered

All edges **3**

	Length	Height	Thickness	Part no.	Colour fabric	Units	Del. Cat.
FreeStyle flex	max. 2400 mm	max. 600 mm	40 mm	on request	white		X
				on request	grey	on request	X
				on request	black		X

Mounting kit see page 40/41 | All shapes must be analysed for manufacturability beforehand. | Absorption values and required mounting accessories depend on the desired geometry.


FreeStyle flex coloured fabric

All edges **3**

	Length	Height	Thickness	Part no.	Colour fabric	Units	Del. Cat.
FreeStyle flex	max. 2400 mm	max. 600 mm	40 mm	on request	as per fabric sample page 44 and 45	on request	X

Mounting kit see page 40/41 | All shapes must be analysed for manufacturability beforehand. | Absorption values and required mounting accessories depend on the desired geometry.

Installation sets




Connecting clip



Plastic pin



Wire rope set




Z-hooks for direct installation

Fitting set for wire suspension

Component description/dimension	Part no.	Units
Set contains: 2 pcs. wire rope (length 1500 mm), spiral hanger with quick adjuster and M6 ceiling fixing	00082765	1 set
Connecting clip for longitudinal joint of baffles on the top	00080545	25 pieces
Plastic pin for longitudinal connection of two baffles in the lower area	00082538	200 pieces


Please order one fitting set per baffle.

The ceiling installation fixing sets are only approved for static loads, they are unsuitable for dynamic loads.



Mounting accessories for direct fix


Component description/dimension	Part no.	Units
Set contains: 2 pcs. Z-hooks and 2 pcs. hanger bolts, 3 sets are needed for the 6 fixing points	00088137	1 set



Connecting clip



Plastic pin



Fixing clip with spiral hanger

Fitting set with system S 3

	Product no.	Product/component description	Part no.	Units
1	12/30/2	Adjustable hanger with double tension spring diameter: 4 mm, maximum load: 0.25 KN, max. range of extension: 270 mm a wire overhang of at least 15 mm must be provided	00075052	100 pieces
2	45	Main tee, height: 38 mm, width: 24 mm length: 3750 mm, visible side: white	00066011	25 pieces
3	46	Cross tee, height: 32 mm, width: 24 mm length: 625 mm, visible side: white	00059095	75 pieces
4/5		Fitting set for system S 3 contains: 2 pcs. fastening clips (incl. hanger brackets) and 2 pcs. spiral hanger (incl. head geometry for hanger bracket)	00091457	1 piece
		Connecting clamp for longitudinal baffle connection	00080545	25 pieces
		Plastic pin for longitudinal connection of two baffles in the lower area	00082538	200 pieces

Please order one fitting set per baffle. The ceiling installation fixing sets are only approved for static loads, they are unsuitable for dynamic loads. The quantity of mounting kits for FreeStyle flex depends on the format.

